

Work Order ID 70300

Thursday, June 02, 2011 1:51:48 PM



Page 1

Item ID: D3183-044

Accept



Setup Start



Revision ID:

Stop



Item Name: Bracket Assembly

Start Date: 6/8/2011 Start Qty: 4.00

Required Date: 6/24/2011 Req'd Qty: 4.00

Cust Item ID:

Customer:

Reference:

Handwritten: 11-06-06

Approvals: Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D3183

Rev C1

100



Bandsaw

Jeaspa Bandsaw

BAND SAW

Memo

Cut blanks: (1.500" x 2.250") 5.500" long

0.00

0.00

Handwritten: B.A. 11/08/17

4

0

110



HAAS I

HAAS CNC vertical machine #1

HAAS CNC VERTICAL MACHINING #1

Memo

1-Machine D3183-4 as per Folio FA322 and Dwg D31831 Identify as D3183-4
4U2-Deburri 13-Scribe batch number

0.00

0.00

Handwritten: B.A. 11/08/30

4

0

120



QC

Quality Control

QC2- Inspect parts off machine FAI/FAIB

Memo

0.00

0.00

Handwritten: B.A. 11/08/31

4

0

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 70300

Thursday, June 02, 2011 1:51:48 PM

Page 2

Item ID: D3183-044

Accept

Revision ID:

Item Name: Bracket Assembly

Start Date: 6/8/2011 Start Qty: 4.00

Required Date: 6/24/2011 Req'd Qty: 4.00

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start

Stop

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

130

QC8- Inspect parts - second check

0.00



QC

Memo

0.00

Quality Control

OK 11/09/03

4

140

Small Fab

0.00



Small Fab

Memo

0.00

Small Fab

Assemble D3183-043 as per Dwg D3183.

JS 11/09/06 (4)

150

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control

OK 11/09/06

(4)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 70300

Thursday, June 02, 2011 1:51:48 PM



Page 3

Item ID: D3183-044

Accept



Setup Start



Revision ID:

Item Name: Bracket Assembly

Stop



Start Date: 6/8/2011 Start Qty: 4.00



Cust Item ID:

Required Date: 6/24/2011 Req'd Qty: 4.00



Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

160

Identify as per dwg & Stock Location: ST236A 0.00



Packaging

Memo

0.00

Packaging

sp 11-09-06

170

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/9/06
MF
11-09-06

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Thursday, June 02, 2011 1:51:45 PM

Page 1

Work Order ID: 70300

Parent Item: D3183-044

Parent Item Name: Bracket Assembly



Start Date: 6/8/2011

Required Date: 6/24/2011

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP Rev:Pick: A1104.02.18: New issue: KJ/DS: 1
IPP Rev: B Changed Mat Size 08-06-26 JLM Verified By: EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D3121-21		Manufactured	No			140	Each	35.0000	2	8			
----------	--	--------------	----	--	--	-----	------	---------	---	---	--	--	--



Bolt

Location	Loc Qty	Loc Code
ST235	35	
66969	3	
68955	32	



6/11/09/06

B70771

(8x)

D3183-045		Manufactured	No			100	Each	25.0000	2	8			
-----------	--	--------------	----	--	--	-----	------	---------	---	---	--	--	--



Bearing Assembly

Location	Loc Qty	Loc Code
ST236	25	
68256	18	
68629	7	



6/11/09/06

B70865 (6x)

B71864 (2x)

M174B1.500X02.250		Purchased	No			140	f	30.9603	0.4583	1.929684			
-------------------	--	-----------	----	--	--	-----	---	---------	--------	----------	--	--	--



17-4 SS Bar 1.50 X2.250

Location	Loc Qty	Loc Code
MAT031	30.9603	
108309	1.08	
113568	11.8333	
115806	18.047	



1.9297 FK. 11/08/17

OK

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries




DESIGN #	DRAWN BY LP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED #	APPROVED #	DRAWING NO. D3183	REV. C SHEET 1 OF 4
DATE 04.02.17		TITLE BRACKET ASSEMBLY	SCALE 1:1
A.	03.01.24	NEW ISSUE	
B.	03.06.17	REMOVE BEARING; 1.012 WS 0.882	
C.	04.02.17	ADD -045/-9; 0.182 WAS 0.431	
C1	# 04.11.09	0.830 WAS 0.850	

RELEASED
04 03 01
DEO ATTACHED




D3183-041 BRACKET ASSEMBLY (SHOWN)
D3183-042 BRACKET ASSEMBLY (OPPOSITE)
D3183-043 BRACKET ASSEMBLY (SIMILAR)
D3183-044 BRACKET ASSEMBLY (SIMILAR)



D3183-5 BEARING:
SPECIFICATION CONTROL DRAWING

- 1) SINGLE ROW, DEEP GROOVE, CONRAD TYPE, SHIELDED
- 2) POSSIBLE SUPPLIER: NSK P/N 6800ZZ
- 3) ALL DIMENSIONS ARE IN INCHES



D3183-7 WASHER

- 1) MATERIAL: AISI 303 ROUND BAR (M303R) ANNEALED
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES

COPYRIGHT © 2003 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD		Work Order:	70300
Description: Bracket		Part Number:	D3183-4
Inspection Dwg: D3183	Rev: C1	Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
R0.190	+/-0.030	R0.188	✓		R-6	ref.
R0.063	+/-0.010	R0.063	✓		"	"
0.182	+/-0.010	0.186	✓		Vern	GA-01
0.070	+/-0.010	0.069	✓		H-6	31006
0.100	+/-0.010	0.099	✓		Vern	GA-01
Ø0.201 x 0.100	+/-0.010	Ø0.200x0.103	✓		"	"
0.182	+/-0.010	0.183	✓		"	"
5.32	+/-0.030	5.325	✓		H-6	31006
5.036	+/-0.010	5.038	✓		"	"
2.120	+/-0.010	2.121	✓		"	"
1.290	+/-0.010	1.291	✓		"	"
0.365	+/-0.010	0.365	✓		"	"
0.218	+/-0.010	0.214	✓		Vern	GA-01
1.030	+/-0.010	1.031	✓		"	"
1.90	+/-0.030	1.886	✓		"	"
1.012	+/-0.010	1.013	✓		H-6	31006
Ø0.201 x 0.100	+/-0.010	Ø0.201x.099	✓		Vern	GA-01
0.786	+/-0.010	0.797	✓		H-6	31006
Ø0.392	+0.002/-0.000	Ø0.3923	✓		Mic	GA-03
R0.19	+/-0.030	R0.188	✓		R-6	ref.
3.954	+/-0.010	3.958	✓		H-6	31006
0.162	+/-0.010	0.164	✓		Vern	GA-01
R0.19	+/-0.030	R0.188	✓		R-6	ref.
R0.25	+/-0.030	R0.250	✓		"	"
4.26	+/-0.030	4.260	✓		"	"
2.800 Calculated dimension	+/-0.030	2.820	✓		Vern	GA-01
0.162	+/-0.010	0.162	✓		"	"
0.615	+/-0.010	0.606	✓		"	"
0.435	+/-0.010	0.431	✓		"	"
0.200	+/-0.010	0.200	✓		"	"
0.381	+/-0.010	0.373	✓		"	"
0.032	+/-0.010	0.032	✓		D-6	GA-08

Measured by: B.A.	Audited by: [Signature]	Preliminary Approval:	N/A
Date: 11/06/03	Date: 11/09/03	Date:	N/A


Rev	Date	Change	Revised by	Approved
A	03.11.12	New Issue P/O D3183-044	KJ/RF	
B	04.03.15	Changes as per revision C	KJ/JLM/RF	
C	04.06.15	Dimension 2.800 was 2.080; removed 1.155, 0.36 dimensions	KJ/JLM	
D	06.03.09	Dwg Rev update	KJ/JLM	
E	08.01.16	Dimensions revised	KJ/EC/DD	
F	10.09.23	Dimensions revised	KJ	[Signature]



DESIGN	DRAWN BY	DART AEROSPACE LTD
CHECKED	APPROVED	HAWKESBURY, ONTARIO, CANADA
DATE	DRAWING NO.	REV. C
04.02.17	D3183	SHEET 3 OF 4
TITLE	BRACKET ASSEMBLY	SCALE 1:2



W/O 70300



D3183-3 BRACKET SHOWN
(REPLACES BELL P/N 412-030-304-105)
D3183-4 BRACKET OPPOSITE
(REPLACES BELL P/N 412-030-304-106)

- 1) MATERIAL: 17-4 SS PER AMS 5604/5643
(REF DART SPEC. M17-4-B)
MIN ULTIMATE STRENGTH = 150 ksi
MIN YIELD STRENGTH = 100 ksi
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 3) ENGRAVE DART P/N & LOGO AS SHOWN
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES

COPYRIGHT © 2003 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DEO ATTACHED
RELEASED
04.02.01